

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	10	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 ((data OR object\$1) near2 template\$1) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 09:34
L5	73	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 ((data OR object\$1) near2 source\$1) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 10:31
L6	7	(cach\$3 near5 invalidat\$3) near5 (source\$1 near4 (chang\$3 OR differen\$2 OR another OR switch\$2))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 14:38
L7	2	(cach\$3 near5 invalidat\$3) near5 (source\$1 near6 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT L6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 09:45
L8	17	(cach\$3 near5 invalidat\$3) near5 ((source\$1 OR server\$1 OR JVM OR JVMs) near6 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT (L6 OR L7)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 09:47
L9	12	(cach\$3 near5 invalidat\$3) near5 ((source\$1 OR server\$1 OR JVM OR JVMs) near3 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT (L6 OR L7)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 12:58
L10	53	(cach\$3 near5 invalidat\$3) SAME ((source\$1 OR server\$1 OR JVM OR JVMs) near3 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT (L6 OR L7 OR L9)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 09:52
L11	6	(cach\$3 near5 invalidat\$3) WITH ((source\$1 OR server\$1 OR JVM OR JVMs) near3 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT (L6 OR L7 OR L9)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 09:55
L12	47	(cach\$3 near5 invalidat\$3) SAME ((source\$1 OR server\$1 OR JVM OR JVMs) near3 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT (L6 OR L7 OR L9 OR L11)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 13:25

L13	269	((cach\$3 near5 invalidat\$3) SAME ((CPU\$1 OR Processor\$1 OR microprocessor\$1 OR microcontroller\$1 OR controller\$1) near3 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT (L6 OR L7 OR L9 OR L11))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 10:03
L14	7192	((709/203) or (709/213) or (709/214) or (709/215) or (790/216)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/01 10:03
L15	3641	((711/118) or (711/133) or (711/134) or (711/144) or (711/145)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/01 10:03
L16	93	L13 AND (L14 OR L15)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 10:03
L17	40	((cach\$3 near5 invalidat\$3) near6 ((CPU\$1 OR Processor\$1 OR microprocessor\$1 OR microcontroller\$1 OR controller\$1) near3 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT (L6 OR L7 OR L9 OR L11))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 10:03
L19	17	L12 AND (L14 OR L15)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 10:10
L20	821	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (((data OR object\$1) near2 source\$1) OR server\$1) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 10:39
L21	220	L20 AND (L14 OR L15)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 10:32
L22	194	L20 AND (L14 OR L15) NOT L5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 10:32
L23	435	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (application\$1) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 11:35
L24	53	L23 AND (L15 OR L15)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 10:49
L25	137	((key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (application\$1 OR software OR program\$1) near5 cach\$3) AND (L14 OR L15) NOT L24	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 10:49

L26	37	L23 AND (L15 OR L14) NOT L24	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 10:49
L27	126	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR indicat\$3) near5 ((data OR object\$1 OR file\$1 OR datum) near3 (version\$3 OR edition\$1)) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 12:40
L28	37	L27 AND (L14 OR L15)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 11:39
L30	102	((differen\$3 OR dissimilar\$2 OR distinct\$3 OR varian\$2 OR another) near4 (key\$1 OR identif\$4 OR ID OR IDs OR identification OR indicat\$3)) near5 (data OR object\$1 OR file\$1 OR datum) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 12:10
L31	41	L30 AND (L14 OR L15)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 12:02
L32	33	((differen\$3 OR dissimilar\$2 OR distinct\$3 OR varian\$2 OR another) near4 (key\$1 OR identif\$4 OR ID OR IDs OR identification OR indicat\$3)) WITH (data OR object\$1 OR file\$1 OR datum) WITH cach\$3) AND (L14 OR L15) NOT L31	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 12:11
L35	8	(cach\$3 near5 invalidat\$3) SAME ((source\$1 OR server\$1 OR JVM OR JVMs) near3 (chang\$3 OR differen\$2 OR another OR switch\$2 OR mov\$3 OR replace\$3 OR swap\$1 OR swapp\$3)) NOT (L6 OR L7 OR L9 OR L11 OR L12)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 13:45
L36	31	(cach\$3 near5 invalidat\$3) SAME ((source\$1 OR server\$1 OR JVM OR JVMs) near5 (chang\$3 OR differen\$2 OR another OR switch\$2 OR mov\$3 OR replace\$3 OR swap\$1 OR swapp\$3)) NOT (L6 OR L7 OR L9 OR L11 OR L12 OR L35)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 14:36
L37	531	((request\$3 OR quer\$4 OR inquir\$3 OR enquir\$3 OR ask\$3) near4 (key\$1 OR identif\$4 OR ID OR IDs OR identification OR indicat\$3)) near5 cach\$3 near8 (compar\$4 OR match\$3 OR hit\$1 OR correlat\$3 OR correspond\$3 OR concur\$3 OR affirm\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 14:57
L38	175	L37 AND (L14 OR L15)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 14:58

L39	636	((request\$3 OR quer\$4 OR inquir\$3 OR enquir\$3 OR ask\$3) near5 cach\$3) near5 (key\$1 OR identif\$4 OR ID OR IDs OR identification OR indicat\$3) near8 (compar\$4 OR match\$3 OR hit\$1 OR correlat\$3 OR correspond\$3 OR concur\$3 OR affirm\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 14:58
L40	209	L39 AND (L14 OR L15)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 14:58
L41	81	L39 AND (L14 OR L15) AND 711/118.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 14:59
S1	945	(711/133).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/29 14:23
S2	60	URL AND S1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 14:23
S3	7185	((709/203) or (709/213) or (709/214) or (709/215) or (790/216)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/29 14:23
S4	213	(345/557).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/29 14:23
S5	3634	((711/118) or (711/133) or (711/134) or (711/144) or (711/145)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/29 14:28
S6	37097	URL OR (Uniform ADJ Resource ADJ Locator\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 15:22
S7	6	zeng-zheng.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 14:35
S8	3	ling-shu.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 14:39
S9	37	liu-xiang.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 14:53
S10	2467	cach\$3 near4 ((data ADJ object\$1) OR (web OR internet OR html OR htm) ADJ (site\$1 OR page\$1 OR document\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 16:49

S11	125	((primary OR main OR prevail\$3 OR predominant\$2 OR significant\$2 OR important OR fundamental OR principle) near3 (key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3)) near5 S6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 16:49
S12	1	S10 near4 S11	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 15:11
S13	1	S10 SAME S11	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 15:15
S14	3	S10 AND S11	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 15:24
S15	49749	URL OR (Uniform ADJ Resource ADJ Locator\$1) OR ((web OR internet) near2 address\$2)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 15:23
S16	134	((primary OR main OR prevail\$3 OR predominant\$2 OR significant\$2 OR important OR fundamental OR principle) near3 (key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3)) near5 S15	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 15:24
S17	4	S10 AND S16	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 15:24
S18	0	("2002/0116582").URPN.	USPAT	OR	ON	2005/11/29 15:43
S19	34912	cach\$3 near4 ((data ADJ object\$1) OR (web OR internet OR html OR htm) ADJ (site\$1 OR page\$1 OR document\$1) OR data OR object\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 16:49
S20	14523	(key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3 OR ID OR IDs OR identification OR ((data OR cach\$3) ADJ ID\$1)) near5 S6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 16:58
S21	99	S19 near4 S20	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/29 16:58
S22	7185	((709/203) or (709/213) or (709/214) or (709/215) or (790/216)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/30 09:28
S23	3634	((711/118) or (711/133) or (711/134) or (711/144) or (711/145)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/30 09:28
S24	37097	URL OR (Uniform ADJ Resource ADJ Locator\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 09:28

S25	34912	cach\$3 near4 ((data ADJ object\$1) OR (web OR internet OR html OR htm) ADJ (site\$1 OR page\$1 OR document\$1) OR data OR object\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:29
S26	14523	(key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3 OR ID OR IDs OR identification OR ((data OR cach\$3) ADJ ID\$1)) near5 S24	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 16:43
S27	30	(S25 near4 S26) AND (S22 OR S23)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 16:45
S28	1	("20030093645").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/30 14:03
S29	189600	(key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3 OR ID OR IDs OR identification OR ((data OR cach\$3) ADJ ID\$1)) near5 (product\$1 OR UPC OR UPCs OR ISBN OR ISBNs)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 16:52
S30	6	(S25 near4 S29) AND (S22 OR S23)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 16:48
S31	17	(S25 SAME S29) AND (S22 OR S23) NOT (S30)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:16
S32	193328	(key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3 OR ID OR IDs OR identification OR ((data OR cach\$3) ADJ ID\$1)) near5 (product\$1 OR UPC OR UPCs OR ISBN OR ISBNs OR RFID OR RFIDs)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:17
S33	660	S32 AND (S22 OR S23)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 16:53
S34	173492	(key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3 OR ID OR IDs OR identification OR ((data OR cach\$3) ADJ ID\$1)) near5 (address\$2 OR street\$1 OR city OR cities OR (zip ADJ code\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:47
S35	4791	S34 AND (S22 OR S23)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 16:57
S36	306	S35 AND S33	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:06

S37	90074	(key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3 OR ID OR IDs OR identification OR ((data OR cach\$3) ADJ ID\$1)) near5 (date\$1 OR month\$1 OR year\$1 OR day\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 16:58
S38	829	S37 AND (S22 OR S23)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 16:58
S39	82	S36 AND S38	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 16:58
S40	32	(key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3 OR ID OR IDs OR identification OR ((data OR cach\$3) ADJ ID\$1)) near5 (security ADJ symbol\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:09
S42	2432	(key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3 OR ID OR IDs OR identification OR ((data OR cach\$3) ADJ ID\$1)) near5 (product\$1 OR UPC OR UPCs OR ISBN OR ISBNs OR RFID OR RFIDs) near5 (attribute OR common OR shar\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:27
S43	39	S42 AND (S22 OR S23)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:21
S44	222214	(key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3 OR ID OR IDs OR identification OR attribute\$1 OR common\$2 OR shar\$3) near5 (product\$1 OR UPC OR UPCs OR ISBN OR ISBNs OR RFID OR RFIDs OR SKU)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:34
S45	34912	cach\$3 near4 ((data ADJ object\$1) OR ((web OR internet OR html OR htm) ADJ (site\$1 OR page\$1 OR document\$1)) OR data OR object\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:29
S46	99	S44 SAME S45	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:35
S47	101597	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (product\$1 OR UPC OR UPCs OR ISBN OR ISBNs OR RFID OR RFIDs OR SKU)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:44
S48	58	S47 SAME S45	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:38

S50	3	(METHOD AND ARRANGEMENT AND GENERATING AND UNIQUE AND IDENTIFIERS).ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:39
S51	60	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (product\$1 OR UPC OR UPCs OR ISBN OR ISBNs OR RFID OR RFIDs OR SKU) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:47
S52	0	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (security ADJ symbol\$1) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:49
S53	0	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (security near2 symbol\$1) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:49
S54	0	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (security near5 symbol\$1) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:53
S55	23	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (security ADJ symbol\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:50
S56	0	((key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (security ADJ symbol\$1)) SAME cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 17:50
S57	73	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (date\$1 OR month\$1 OR year\$1 OR day\$1) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 18:00
S58	2181	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (address\$2 OR street\$1 OR city OR cities OR (zip ADJ code\$1)) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/01 08:54
S59	12	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (street\$1 OR city OR cities OR (zip ADJ code\$1)) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 18:01
S61	12	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 ((geographical SAME address\$2) OR street\$1 OR city OR cities OR (zip ADJ code\$1)) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 18:08



S62	20	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 ((geographical SAME address\$2) OR street\$1 OR city OR cities OR (zip ADJ code\$1)) SAME cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 18:09
S63	8	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 ((geographical SAME address\$2) OR street\$1 OR city OR cities OR (zip ADJ code\$1)) SAME cach\$3 NOT S61	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/30 18:09